

MSDS Material Safety Data Sheet

Oscoda Plastics Inc.

PROFLEX

Page 1 of 5

MSDS Number: 530000

Revision Date: 9/14/07

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Oscoda Plastics inc.
5585 N. Huron
P.O. Box 189
Oscoda, MI 48750

Contact: Info-Trac
Telephone Number: 1-800-535-5053
FAX Number:
E-Mail:
Web www.oscodaplastics.com

Product Name: PROFLEX
Revision Date: 9/14/07
MSDS Number: 530000
Common Name: PVC / Polyvinyl Chloride Expansion Joint
CAS Number: NA
Product Code: 53000-550556
EPA Number: NA
RCRA Number: NA
Chemical Family: Mixture
Chemical Formula: NA
Synonyms: PVC Expansion Joint
Internal ID: 530000
Product Use: Concrete Expansion Joints

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

| Cas # | Chemical Name |
|-----------|---|
| 58366 | Phenoxarsine, 10,10'-oxydi- |
| 1309644 | Antimony oxide (Sb2O3) |
| 195888927 | 1,2-Benzenedicarboxylic acid, di-c7-12-b |
| 9002862 | Ethene, chloro-, homopolymer |
| 8013078 | Soybean oil, epoxidized |
| 13463677 | Titanium oxide (TiO2) |
| 1317653 | Calcium carbonate |
| 25038599 | Poly(oxy-1,2-ethanediylloxycarbonyl-1,4-p |
| 68442853 | Cellulose, regenerated |
| 65997173 | Glass, oxide, chemicals |
| 100425 | Styrene |
| 1333864 | Carbon black |
| 84742 | Di-n-butyl phthalate |
| 14464461 | Silica, crystalline cristobalite |
| 2440224 | Phenol, 2-(2H-benzotriazol-2-yl)-4-methy |
| 26544230 | Phosphorous acid, isodecyl diphenyl este |
| 68441178 | Ethene, homopolymer, oxidized |

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROFLEX

Page 2 of 5

MSDS Number: 530000

Revision Date: 9/14/07

3 HAZARDS IDENTIFICATION

Route of Entry: Routes of entry during normal installation procedures may include, inhalation, skin contact and eye contact.

Target Organs: The physical and chemical properties of the material suggests that there is no evidence that this product aggravates an existing medical condition.

Inhalation: If product is used at high temperatures, hydrogen chloride gas may be formed. Use product in well ventilated areas.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Unlikely.

4 FIRST AID MEASURES

Inhalation: Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

Skin Contact: Wash affected skin area with soap and water. If irritation continues, get medical attention.

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation develops, consult a physician.

Ingestion: Unlikely.

5 FIRE FIGHTING MEASURES

Flash Point: Not Applicable
LEL: Not Applicable
UEL: Not Applicable
Flammability Classification: 1

In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

Decomposition gases include Carbon monoxide, Carbon Dioxide, and Hydrogen Chloride gas.

6 ACCIDENTAL RELEASE MEASURES

Not Applicable.

7 HANDLING AND STORAGE

Handling Precautions: Not Applicable.
Storage Requirements: Store below 120 F to minimize volatilization of the plasticizer.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Not Applicable
Protective Equipment: Safety Glasses, and Gloves.
Exposure Guidelines/Other: Not Applicable.

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROFLEX

Page 3 of 5

MSDS Number: 530000

Revision Date: 9/14/07

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|------------------------|-------------------|------------------------------|-------------------|
| Appearance: | Vinyl Sheet | Boiling Point: | Greater than 350F |
| Physical State: | Solid | Freezing/Melting Pt.: | 347F |
| Odor: | Slight vinyl odor | Solubility: | Insoluble |
| pH: | NA | Spec Grav./Density: | 1.2 - 1.4 |
| Vapor Pressure: | NA | | |
| Vapor Density: | NA | | |

10 STABILITY AND REACTIVITY

| | |
|--|---|
| Stability: | Stable. |
| Conditions to avoid: | NA |
| Materials to avoid (incompatibility): | Strong Oxidizing agents. |
| Hazardous Decomposition products: | Hydrogen Chloride gas, carbon monoxide, carbon dioxide. |
| Hazardous Polymerization: | Will not occur. |

11 TOXICOLOGICAL INFORMATION

No data available for this product.

12 ECOLOGICAL INFORMATION

No data available for this product.

13 DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations.

MSDS Material Safety Data Sheet

Oscoda Plastics Inc.

PROFLEX

Page 4 of 5

MSDS Number: 530000

Revision Date: 9/14/07

14 TRANSPORT INFORMATION

DOT Proper Shipping Name:

Not applicable.

DOT Technical Name:

Not applicable.

DOT Hazard Class:

Not regulated.

DOT Hazard Labels:

Not regulated.

DOT Placard(s):

Not applicable.

Emergency Response Guide (ERG):

Not applicable.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Di-n-butyl phthalate (84742 n/a%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, SARA313, TOXICRCRA, TXAIR, TXHWL

COMPONENT / (CAS/PERC) / CODES

*Phenoxarsine, 10,10'-oxydi- (58366 <.05%) EHS302, MASS, NJHS, PA

The hazardous components identified in Section 2 are bound within the PVC matrix of this product and are not expected to be released under normal conditions. These products are considered to be finished articles as per (29CFR1910.1200(c)) and therefore exempt from the requirements of this standard.

California Proposition 65- This product contains (Antimony Trioxide) a chemical known by the State of California to cause cancer.

REGULATORY KEY DESCRIPTIONS

EHS302 = Extremely Hazardous Substance

MASS = MA Massachusetts Hazardous Substances List

NJHS = NJ Right-to-Know Hazardous Substances

PA = PA Right-To-Know List of Hazardous Substances

OSHAWAC = OSHA Workplace Air Contaminants

TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance

CSWHS = Clean Water Act Hazardous substances

EPCRAWPC = EPCRA Water Priority Chemicals

HAP = Hazardous Air Pollutants

PRIPOL = Clean Water Act Priority Pollutants

SARA313 = SARA 313 Title III Toxic Chemicals

TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)

TXHWL = TX Hazardous Waste List

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROFLEX

Page 5 of 5

MSDS Number: 530000

Revision Date: 9/14/07

16

OTHER INFORMATION

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No Warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance under any federal or state laws.

END OF MSDS DOCUMENT