

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROTECT-ALL Welding Rod

MSDS Number: 880100

Revision Date: 1/24/07

Page 1 of 5

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Oscoda Plastics Inc.
5585 N. Huron
P.O. Box 189
Oscoda, MI 48750

Contact: Info-Trac
Telephone Number: 1-800-535-5053
FAX Number:
E-Mail: mlee@oscodaplastics.com
Web www.oscodaplastics.com

Product Name:	PROTECT-ALL Welding Rod
Revision Date:	1/24/07
MSDS Number:	880100
Common Name:	PVC
CAS Number:	Not Applicable
Product Code:	Not Applicable
EPA Number:	Not Applicable
RCRA Number:	Not Applicable
Chemical Family:	Mixture
Chemical Formula:	NA
Synonyms:	Vinyl strip.
Internal ID:	880100 to 880090
Product Use:	Flooring

Product List:

All 1/4" & 1/8" Matte Finish Protect-All (all colors), and all 1/4" Cove Base & Corners (all colors).

MSDS Material Safety Data Sheet

Oscoda Plastics Inc.

PROTECT-ALL Welding Rod

MSDS Number: 880100

Revision Date: 1/24/07

Page 2 of 5

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Chemical Name
58366	Phenoxarsine, 10,10'-oxydi-
1309644	Antimony oxide (Sb2O3)
NA	1,2-Benzenedicarboxylic acid, dialkylester, branched & linear.
9002862	Ethene, chloro-, homopolymer
8013078	Soybean oil, epoxidized
13463677	Titanium oxide (TiO2)
1317653	Calcium carbonate
25038599	Poly(oxy-1,2-ethanediyloxy-carbonyl-1,4-p
68442853	Cellulose, regenerated
65997173	Glass, oxide, chemicals
100425	Styrene
1333864	Carbon black
84742	Di-n-butyl phthalate
14464461	Silica, crystalline cristobalite
2440224	Phenol, 2-(2H-benzotriazol-2-yl)-4-methy
26544230	Phosphorous acid, isodecyl diphenyl este
68441178	Ethene, homopolymer, oxidized

3 HAZARDS IDENTIFICATION

Route of Entry:	Routes of entry during normal installation procedures may include, inhalation, skin contact and eye contact.
Target Organs:	The physical and chemical properties of the material suggests that there is no evidence that this product aggravates an existing medical condition.
Inhalation:	If product is used at high temperatures, hydrogen chloride gas may be formed. use product in well ventilated areas.
Skin Contact:	May cause skin irritation.
Eye Contact:	May cause eye irritation.
Ingestion:	Unlikely.

Above conditions only apply when product is being installed using the PVC welding rod system.

4 FIRST AID MEASURES

Inhalation:	Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.
Skin Contact:	Wash affected skin area with soap and water. If irritation continues, get medical attention.
Eye Contact:	Immediately flush eyes with water for at least 15 minutes. If irritation develops, consult a physician.
Ingestion:	Unlikely.

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROTECT-ALL Welding Rod

MSDS Number: 880100

Revision Date: 1/24/07

Page 3 of 5

5 FIRE FIGHTING MEASURES

Flash Point: Not Applicable
LEL: Not Applicable
UEL: Not Applicable

In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

Decomposition gases include carbon monoxide, carbon dioxide, and hydrogen chloride gas.

6 ACCIDENTAL RELEASE MEASURES

Not Applicable.

7 HANDLING AND STORAGE

Handling Precautions: Not Applicable
Storage Requirements: Store below 120 F to minimize volatilization of the plasticizer.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use product in well ventilated area.
Protective Equipment: Safety Glasses, Gloves.
Exposure Guidelines/Other: Not Applicable.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Vinyl Sheet	Boiling Point:	Greater than 350F
Physical State:	Solid	Freezing/Melting Pt.:	NA
Odor:	Slight Vinyl Odor	Solubility:	Insoluble
pH:	NA	Spec Grav./Density:	1.2-1.4
Vapor Pressure:	NA		
Vapor Density:	NA		

MSDS *Material Safety Data Sheet*

Oscoda Plastics Inc.

PROTECT-ALL Welding Rod

MSDS Number: 880100

Revision Date: 1/24/07

Page 4 of 5

10 STABILITY AND REACTIVITY

Stability: Stable.

Conditions to avoid:

Materials to avoid (incompatibility): Strong Oxidizing agents.

Hazardous Decomposition products: Hydrogen chloride gas, carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

No data available for this product.

12 ECOLOGICAL INFORMATION

No data available for this product.

13 DISPOSAL CONSIDERATIONS

Dispose in accordance with local, state, and federal regulations.

14 TRANSPORT INFORMATION

DOT Proper Shipping Name:
Not applicable.

DOT Technical Name:
Not applicable.

DOT Hazard Class:
Not regulated.

DOT Hazard Labels:
Not regulated.

DOT Placard(s):
Not applicable.

Emergency Response Guide (ERG):
Not applicable.

MSDS **Material Safety Data Sheet**

Oscoda Plastics Inc.

PROTECT-ALL Welding Rod

MSDS Number: 880100

Revision Date: 1/24/07

Page 5 of 5

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Di-n-butyl phthalate (84742 n/a%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, SARA313, TOXICRCRA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

EHS302 = Extremely Hazardous Substance
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
PA = PA Right-To-Know List of Hazardous Substances

OSHAWAC = OSHA Workplace Air Contaminants
TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance
CSWHS = Clean Water Act Hazardous substances
EPCRAWPC = EPCRA Water Priority Chemicals
HAP = Hazardous Air Pollutants
PRIPOL = Clean Water Act Priority Pollutants
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXHWL = TX Hazardous Waste List

16

OTHER INFORMATION

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No Warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance under any federal or state laws.

END OF MSDS DOCUMENT